



January 7, 2020

Now Available

Online Accounts for Managing Your Backflow Prevention Assemblies

We are pleased to announce that you may now register for an **online account** to manage information related to the backflow prevention assemblies on your property. Our new online system allows you to:

- Choose to receive email notices reminding you when your assembly is due for testing.
- Select or change your preferred test company (or companies).
- Elect to have your preferred test company notified by email when your assembly is due for testing.
- Add/manage linked accounts.
- Access the testing history of a backflow prevention assembly from the time of your registration.
- Print test forms.
- Manage your customer profile.

Instructions for registering for and setting up a customer account in the San Francisco Public Utilities Commission's CCAMS database are attached. Note: If you would like to receive notification by email rather than by US mail, please register at least one month before your annual test month. You will then be able to select a preferred test company to receive notification at the same time you do.

If you have questions, you may contact the Cross-Connection Control Program at (650) 652-3199 or by email at <u>backflow@sfwater.org</u>.





Customer Instructions for Using CCAMS

Creating an Account

1. Go to the CCAMS website at <u>https://ccams.sfwater.org</u> and click on the "New customer registration link, shown in Figure 1.

Welcome to San Francis Cross-Connection Assembly Manageme Water Quality Divisio	co's int System (CCAMS) n
Can Evanoirea	Login
Water	Username
Nower	Password
Sewer	New customer registration
Services of the San Francisco Public Utilities Commission	Horgor my password
	Login
This website (ccams sfwater.org) is for the exclusive use of the San Francisco Public Utilities assemblies, and the testers and test companies that service those assemblies. Any attempt to	Commission, its water customers that maintain cross-connection o access or use this site by anyone else is strictly prohibited.

Figure 1: Welcome Screen

2. The "New Customer Registration" screen appears (Figure 2).

San Francisco	r's
Cross-Connection Assembly Manag	Jement System(CCAMS)
Water Quality Div	ision
San Francisco Water Power Sewer Services of the San Francisco Public Utilities Commission	New Customer Registration Enter the Account Number, Customer Name, and Service Address exactly as it appears on your water bill. Email Address* Account Number* Customer Name * (from water bill) Service Address* (number and street only) Register or Login

Figure 2: New Customer Registration Screen

- 3. Type in the required information, which must match the information on your water account, shown on your water bill. When finished, click "Register."
- 4. If your account is approved, you will receive a temporary password by email within one business day.
- 5. Log in to CCAMS using your email address as your username and the temporary password.
- 6. Accept the CCAMS Disclaimer and enter a new password to continue access to CCAMS.

Using Your Account

Once your account is active, log in at *https://ccams.sfwater.org* with the registered email address as your username and the password you created in Step 6 above. You will reach the home screen (Figure 3).

	And Proved County of the									My Profile ChangePassword Log
Assembly Manageme	ent Test Management	Customers								
ie										
										Be Add / Remove Widgets
tomer Disclaimer										
						CCAM	S Disclaim	ier		
er Quality Division (WQD rcisco Public Utilities Cor le CCAMS is designed to itting from use of CCAMS ions who use CCAMS as	of San Francisco Water Pr mission (SFPUC) for track streamline the process of v steaters agree that they will	ower Sower mar ng backflow pre erifying that bac	ages Backfow P vention assembli kfow assemblies	Prevention / les and air (s are prope	Assemblies us gaps connecte inly tested and	sing a dedicated ad to the potable maintained, pro	web based app water systems perty owners an	lication called Cross-Connector managed by the SFPUC. CCAI ad testers are still responsible to	Assembly Management Syste IS stores testing and compilar retain backflow testing records	em (CCAMS). This application was developed by the San net history for backflow assemblies and air gaps. s. SFPUC will not be held liable for any unanticipated issu
Jumer Guide to Backflo	ow Prevention									
n backflow occurs, wate	r from the consumer's prem	ises flows into th	e distribution sys	stem. If that	it water is conti	aminated becau	Se of schubes o	the consumers tremises (io)	evening of an or resenting	oting chemicals to a boiler or use of photo-processing
in backflow occurs, wate micels), the water can ca city's cross-connection est is a cross-connection oss-connection is an act tomer Linked Accounts g a column header and de	If from the consumer's premi my contaminants into the dis- control program is administer 1? usif or notential cooner tion th Managed Linked Account top it here to group by that column	ises flows into th tribution system red by the Water etween a nublic s	e distribution sys i, possibly causin r Quality Division or consumer's dr	stem. If that g illness or of the San ninkinn web	it water is cont r even death. I Francisco Pul ler sustem and	aminated becau blic Utilities Com La non-notable (se of activities o imission. non-drinkable) s	in the consumer's premises (of	annies of cross-connections a	bling chemicalis to a boller or use of photo-processing
in backflow occurs, wate micels), the water can ca city's cross-connection est is a cross-connection oss-connection is an act tomer Linked Accounts g a column header and de type Name	If from the consumer's premi my containmants into the dis- control program is administer and constantial consection to Managed Linked Account op it here to group by that colur Service Address	ises flows into th tribution system red by the Water etween a noblic s m Test Month	e distribution siys i, possibly causion i Quality Division or consumer's dr	stem. If that g illness or of the Sam rinking web	it water is cont r evon death. I Francisco Pul ler system and	aminated becau blic Utilities Com La non-octable () Account ID	se of activities of amission non-drinkable) s	In the Consument's premises (of ancrea of worker or other fluid: Pr Preferred Test Company	example, examine or ruscering annulass of rmss-roomerlions a	bling chemicalis to a boller or use of photo-processing
en backflow occurs, wells micably, the water can ca cely's cross-connection or stifs a cross-connection mes-connection is an action socconnection is an action to mer Linked Accounts g a column header and de wice Name PUC - WQD, Nany source bland Rugby Field	r from the consumer's prem ry containmants into the di control program is administer 17 19 10 10 10 10 10 10 10 10 10 10	ses flows into the tribution system read by the Water etween a nublic s Test Month April	e distribution sys , possibly causin Quality Division or consumer's dr PIC# PIC# CQ005725	stem. If that ing illness or of the San rinkinn web	It water is contin r even death. Francisco Pul ler system and Service Type IRRIGATE	aminated becau blic Usilities Com a non-notable () Account ID 123460769	se of activities o amission non-drinkatile) < SPID	In the Consumert's phenoises (or source of worker or other Boid, Pe Preferred Test Company \$50 Testing	username Username coamscustomer@gmail.com	ten Chemicalis to a boller or use of photo-processing werther cromerises between the dicking weter disbibility
In backflow occurs, wells inclub), the wells can ca city's cross-connection execommetion is an ach omer Linked Accounts a column header and de vice Name FUC - WQD, Nany saure Island Rugby Field FUC - WS&T, Thomas	r from the consumer's piere my contaminants into the di- control program is administer into an notantiel consection th Managed Linked Account op it here to group by that colum Service Address Bidg 34 California Avenue	ises flows into the tribution system read by the Water etwaven a nublic s mn Test Month April	e distribution sys , possibly causin quality Division or consumer's de PIC# CQC05725 ses consumers	stem. If that ig illness or of the San tinking web	It water is cont reven death. In Francisco Pul leu system and Service Type IRRIGATE	Account ID	se of activities	In the Consumer's Lettinus's Lot anarray of weder on other: Built Pr Preferred Test Company 500 Testing	exercise, sources of user instances of cross-cronner lions a User instance of cross-cronner lions a Useriane constance (ginal con	ting chemicals to a boller or use of photo-processing we file cromerlisms between the dicking weier distribution
In backflow occurs, well emission for water can co chip's creat-connection or chip's creat-connection or til a cross-connection is an ach borner Linked Accounts a column header and die wee Name PUG-WBD. Navy assure bland Rugby Fed PUG-WBAT. Thomas Adaeo Tutorial & Custoo	r from the consumer's pieme ry contaminants into the dis- control program is administer r/ Managed Linked Account is it here to group by that colur Service Address Bibly 34 California Avenue mer FAQ	ses flows into the tribution system red by the Water etween a noble s ms Test Month Agril	PIC#	stem if that g illness or of the San tinking web	It water is contained on the second death.	Account ID	se of activities of mission non-drinkahle) k	In the Consumer's parentises (of anarce) of weder or other: Built Pa Preferred Test Company \$50 Testing	exercise, education of user ince entries, of cross-cronnections a Username coamscustomer@gmail.com	ting chemicals to a boller or use of photo-processing we hav connections between the dividion weller disblading
In backflow Occurs, well and index can calcely a trans-connection of the a cross-connection of the a cross-connection of the accurate connection is an ach toomer Linked Accounts grant connection is an ach toomer Linked Accounts of the Accuustion account account account of the Accounts	r from the consumer's pieme ry contaminants into the dis- centrol program is administer P Managed Linked Account by it here to group by that colum- Senice Address Bibly 34 California Avenue mer FAQ laction	In the set of the set	PiC#	stem. If that ig illness or of the San tinkinn web	It water is cont even death. Is Francisco Pul lar surdem and Service Type IRRIGATE	Account ID 123450780 ensues on	se di activites d mission non-drinkatie) s	In the Consumer's parentises (c) anarrow of weders or other: Brief: Pe Performed Text Company \$50 Texting	exercise, electronice former from a entroles, of consectronice from a Username coamisculture (gynal con	ex the connections holdered to use of photo-processing
In backflow occurs, well emission for water can co cylys cross-connection or life a cross-connection is a solumn header and de noise Name PUC - WOAD, Nany samer Island Ragy Fed PUC - WOAT, Thomas Video Tutorial & Custon sind Test Company Sa	r from the consumer's pieme ry contaminants into the dis- control program is administer ry Managed Linked Account as it here to group by that colur Service Address Bibly 34 California Avenue mer FAQ liection	see flows into th tribution system red by the Water etween a nublic s mn Text Month Agel	e distribution sys possible cause, possible cause, possible cause, possible cause, and cause constanter's de PIC# DQ005725 cars stores	stem. If that g illness or of the San tinking well #Act 3	It water is cont even death. Francisco Pul ler system and Service Type IRRIGATE	Annateo becau bit: Usilities Com a non-notatile ó Account (D 123450766	serio a cirintes o amission non-drokatis) e SPID	In the Consumer's parentises (of anarce) of weder or other: Brief Pe Preferred Test Company \$50 Testing	exercise, education of upsering entries, of cross-cronections a Username coamscuttome @gmail.com	ting chemicals to a boller or use of photo-processing we have connections between the direction welfer disblading
en backflow occurs, well micela), the weller can c a c kry's cross-connection to kry a cross-connection toomer Linked Accounts ag a column header and die weice Name (PIIC - W30 Navy essure taked Rugsy Fed (PIIC - W581, Thomas Video Tutorial & Custor lared Test Company Sa Testing has been selected	r from the consumer's pieme ry containments into the dis- ortholi program is administer P Managed Linked Account or the provide the service address Bidg 34 Catterine Avenue mer FAQ lection for the service address Bidg 3	see flows into th tribution systems red by the Water evenes a nublic s m 4 California Avens	ee distribution system possible cause possible cause or crossumer's de people p	MACT	It water is cont even death. I Francisco Pul les surdien and Service Type IRRIGATE	Annated Docal	se of a linkides of amission: annu-dimination (In the Consumer's previous 100 accuracy of worker on other Build Pre Preferred Test Company \$50 Testing	exercise, source) of upseuto- entratives of transactions and Utername.	exe files connections buildenen files distributions weiter distribution

Figure 3: Home Screen Upon First Login

Selecting a Preferred Test Company

1. Click on the "Customers" tab (Figure 4).

	and soo Public Ubines Commission										My Profile ChangePassword
me Assembly Ma	nagement Test Mana	ement Customers									
lanaged Linked Acc	counts/Customer Linked	d Accounts									
Customer favori	te company linked successful	lly.									
											Page Size: 10 • Export to:
Add Linked Account	l.										Logend S. At least 1 assembly on this site is due for fasting. At least 1 assembly has been referred to DPH. A Assemblies at this site are compliant.
Add Linked Account	nd drop it here to group by the	at column						×			Legend Activest 1 assembly on this site is due for fasting. Activest 1 assembly has been referred to DPH. Assemblies at this site are compliant.
Add Linked Account Drag a column header at Actions	nd drop it here to group by the Service Name	at column Service Address	Test Month	PIC#	#Act	Service Type	Account ID	SPID	Preferred Test Company	Username	Loyard L.Atteart assembly on this site is due for testing. Z.Atteart 1 assembly has been referred to DPH. J.Atsembles of this site are compliant.
Add Linked Account Drag a column header an Actions Select Test Company Remove	d drop it here to group by the Service Name SFPUC - WQD, Navy Treasure Island Rugby Field	at column Service Address Bidg 34 California Avenue	Test Month April	PIC# CQ005725	#Act	Service Type	Account ID 123456789	SPID	Preferred Test Company \$50 Testing Backflow Protection Company	Usemame ccamscustomer@gmail.c.	Legal 1. All least 1 assentity on the site is due for leading. 2. All assert 1 assentity on the site of the (p)(k). 3. Assemblies at this site are compliant.
Add Linked Account rag a column header ar letions Select Test Company Remove Pending for admin pproval Remove	nd drop it here to group by the SFPUC - WGD, Navy Treasure Island Rugby Field SFPUC - WS&T, Thomas Shaft CL2 Building	at column Service Address Bidg 34 California Avenue Thomas Shaft	Test Month April June	PIC# CQO05725 NKMB0612	#Act 3 3	Service Type IRRIGATE MUNI	Account ID 123456789 000123456	SPID	Preferred Test Company S50 Testing Backflow Protection Company	Username ccamscustomer@gmail.c. ccamscustomer@gmail.c.	Legal A latest face for the size is due for facility. A latest face for the size is due for facility. A latest face for the size of t

Figure 4: Selecting a Preferred Test Company, Step 1

2. Click on "Manage Linked Accounts" (Figure 5).

me Assembly Ma												My Prolife ChangePassword Logout
naged Linked Acc	counts/Customer Linke	d Advantation	ed Accounts									
										P.	ge Size 1	0 • Export to: 🐹 🛒 ன
dd Linked Account											1. At least 1.4 2. At least 1.4	seembry on this site is due for testing. Assembry rats been reterred to (x+x.
ao a column header ar	nd drop it here to group by the	at column									3. Assemblie	a at this sile are compliant.
The second s		Service Address	Test Month	PICN	#Act	Service Type	Account ID	SPID	Preferred Test Company	Usemane		
ctons.	Service Name											
ctons elect Test Company lemove	Service Name SFPUC - WQD, Navy Treasure Island Rugby Field	Bidy 34 California Avenue	April	CQ005725	3	RRIGATE	123456789		S68 Testing (Backflow Protection Company	ccamscustomer@gmail.c		
ctions elect Test Company emove ending for admin sproval Remove	Service Name SFPUC - WQD, Navy Treasure Island Rogby Field SFPUC - WS&T, Thomas Shaft CL2 Building	Bidg 34 California Avenue Thomas Shaft	April	CQ005725 NKMB0612	3	IRRIGATE MUNI	123456789 000123466		S68 Testing Backflow Protection Company	ccamecustomer@gmail.c . ccamecustomer@gmail.c		

Figure 5: Selecting a Preferred Test Company, Step 2

3. Identify the account for which you'd like to select a test company. Click the "Select Test Company" link under the Actions column (Figure 6).

Services of the San F	rancisco Public Utilities Commission									
me Assembly Ma	nagement Test Manage	ment Customers	_						My Profile	ChangePassword Logout
lanaged Linked Acc	counts/Customer Linked	i Accounts								
Add Linked Account)	at column							Page Size: 10 Legend I. At least 1 as 3. Assembles.	Export to:
a column neader a	Service Name	Service Address	Test Month	PIC#	#Act	Service Type	Account ID	SPID	Preferred Test Compa	ny Username
Actions									\$50 Testing	
Actions Select Test Company	PUC - WQD, Navy easure Island Rugby Field	Bldg 34 California Avenue	April	CQ005725	3	IRRIGATE	123456789		abb reading	ccamscustomer@gmail.c
Actions Select Test Company Pending for admin approval Remove	PUC - WQD, Navy casure Island Rugby Field SFPUC - WS&T, Thomas Shaft CL2 Building	Bldg 34 California Avenue Thomas Shaft	April	CQ005725 NKMB0612	3	IRRIGATE	123456789 000123456		SOU reading	ccamscustomer@gmail.c.,

Figure 6: Selecting a Preferred Test Company, Step 3

- 4. A "Test Company" popup screen appears, listing available test companies (Figure 7).
- 5. Choose your preferred test company (or companies) by clicking on the box next to the company name(s). You may select more than one test company, up to the number of assemblies on the account. Note that when notices of testing due are emailed out, all the selected preferred test companies on an account receive notices. If you select more than one company on an account, you must inform the tester companies separately which assemblies you want them to test.
- 6. When you are finished, click "Submit." The popup window closes, and a message appears stating that the preferred test company has been successfully linked (Figure 8). To exit the screen if you decide not to select a preferred test company, click "No Preferred Company.

ancisco Power Sewer						
inagement Test Management Custo	omars					My Profile DiangePassword 1
counts/Customer Linked Accounts						
any	_					×
2. Click the gree "Submit" button	n	AND •	Search Clear Search	Page 5	Size 10 •	Lagens
No Preferred Company A copy of y	our annual backflow assen	bly prevention test notice	will be sent to your preferred test compar	y P	opend referred Test Company	2. At least 1 meanship that least referred to OPPL 3. Assemblies at this stic and compliant
Company Name .	Business A	ddress	City	ZIP Code	Phone Number	and the second s
\$50 Testing	PO Box 6	89	San Mateo	94403	(415) 456-7896	
Backflow Protection Company	PO Box 85	23	Pleasanton	94566	(925) 456-7890	
			San Francisco	94123	(800) 123-4546	
1. Check the box Test Company Na	next to the ame (you	Street	Cakland	94605	(510) 385-8742 Dean Gicbolhauson	1-2 of 2
may select more t	than one)	Blvd	Foster City		(650) 873-8564	
may coloct more	anan onoj	Boodlett Pl	San Francisco	94102	(415) 701-2311	
Excellence Testing	789 Zxy Av	e	San Francisco	94107	(415) 321-7854	
San Francisco Marriott	55-4th Stre	et	San Francisco	94103	(415) 442-6083	
Testing Company	1050 ABC	Street	San Leandro		(510) 123-4567	
Testing Company #2	123 ABC F	ld.	San Francisco	94941	(415) 123-4567 ,	
Testing Company Testing Company	a	a 55-411 Stre 1050 ABC 123 ABC R	a So-Am Street 1050 ABC Street 123 ABC Rd	a bo-this street Sain Francisco 1050 ABC Street Sain Leandro 123 ABC Rd. Sain Francisco	tt bo-vho select Sain Francisco en US 1050 ABC Street San Leandro 123 ABC Rd. San Francisco 94941	ct co-vin breet San Handleo o+rus (H1) 44-2003 1050 ABC Sheet San Loandro (510) 122-4567 123 ABC Rd. San Francisco 94841 (415) 123-4567

Figure 7: Selecting a Preferred Test Company, Step 4

🧾 🖉 Water P	ower Sewer										3	
Services of the San Fr	rancisco Public Ubites Commission										My P	rofile ChangePassword Logout
e Assembly Mar	nagement Test Manage	ement Customers										
lageo Linkeo Aco	ounts/Gustomer Linker	d Accounts										
Customer favorr	te company linked successful	iky.										
										F	Page Size: 10 •	Export to: DOC XLS PDF
											C Legend	
dd Linked Account	1										1. At least 1 assembly 1. At least 1 assembly 1. At least 1 assembly 1. Assembles at this a	on this site is due for testing. has been referred to DPH. de are compliant.
idd Linked Account	nd drop it here to group by this	at column									1. At least 1 assembly 2. At least 1 assembly 3. Assemblies at this si	on this site is due for tealing. Nai been referred is DPH. de are compliant.
Add Linked Account ag a column header an ctions	nd drop it here to group by the Service Name	at column Service Address	Test Month	PIC#	#Act	Service Type	Account ID	SPID	Preferred Test Company	Usemane	1. At least 1 assembly 2. At least 1 assembly 3. Assembles at this si	on this site is due for tealing. has been referred to DPH. de are compliant.
idd Linked Account ag a column header an ctions elect Test Company (emove	Id drop it here to group by the Service Name SFPUC - WDD. Navy Treasure Island Rugby Field	at column Service Address Bidg 34 California Avenue	Test Month April	Picit CQCO5725	#Act 3	Service Type IRRIGATE	Account ID 123458789	SPID	Preferred Test Company \$60 Testing Backflow Protection Company	Usemame ccaniscustomer@gmail.c	Logend C. At loss 1 assembly At loss 1 assembly Assembly at this s	on this site in due for testing. Na been referred to DPL. de are compliant.
dd Linked Account ag a column header an tions elect Test Company (amove ending for admin proval (Remove	nd drop it here to group by the Service Name SFPUC - W3D, Navy Field SFPUC - W5AT, Thomas SFPUC - W5AT, Thomas	at column Service Address Blog 34 California Avenue Thomas Shaft	Test Month April June	PIC# CQCO5725 NKMB0812	#Act 3	Service Type IRRIGATE MUNI	Account ID 123458789 000123456	SPID	Preferred Test Company 860 Testing (Backfor Protection Company	Usemanne ccamscustomer@gmail.c ccamscustomer@gmail.c	Logond C. At least 1 assembly 2. At least 1 assembly 3. Assembles at this at *	on this site in due for textulue. Nas alexe retrieved la DPA. de ere compliant.

Figure 8: Selecting a Preferred Test Company, Final Screen

Linking Additional Accounts

- 1. Click on the "Customers" tab (Figure 4) and then on "Manage Linked Accounts" (Figure 5).
- 2. Click "Add Linked Account" button. The "Add Linked Account" popup screen appears (Figure 9).
- 3. Type in the required information. This information must match the information on the water account as shown on your water bill. When finished, click "Add Account."
- 4. Within one business day, you will receive notification by email that the new account has been linked successfully.

	Add Linked Account		×	
I	Enter the account information	on exactly as how it appears on the water bill.		
SS	Login ID*)
	Account Number*			112-070
I	Service Name * (from water bill)			702-094
1	Service Address* (number and street only)			00-095
		Add Account		2 70-090

Figure 9: Linking an Additional Account